


TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



CAT J200: 416, 426, 428, 436, 910, 931, 935, 307					
Part #	Style	U.W/KG	PIN	LOCK	Type
1U3201	Short	1.50	8E6208	8E6209	1
1U3202	Long	1.40	8E6208	8E6209	2
1U3202 P	Self Sharpening Long	1.40	8E6208	8E6209	13
9W8209 / 1U3202 TL	Tiger	1.40	8E6208	8E6209	11
135-8208 / 1U3202 WTL	Twin Tiger	1.40	8E6208	8E6209	10
4T2203	Abrasion	1.80	8E6208	8E6209	3
1U3209	Penetration	1.00	8E6208	8E6209	5
1099200	Penetration	1.60	8E6208	8E6209	4
CAT J225: 446, 933					
Part #	Style	U.W/KG	PIN	LOCK	Type
6Y6221	Short		8E6208	8E6209	1
6Y3222	Long	2.2	8E6208	8E6209	2
6Y3222RC	Rock Chisel	2.8	8E6208	8E6209	15
8E4222	Heavy Duty Long	3.2	8E6208	8E6209	12
6Y8229	Penetration	2	8E6208	8E6209	5
6Y222TL/6Y7229	Tiger		8E6208	8E6209	11
6Y6222WTL	Twin Tiger		8E6208	8E6209	10
CAT J250: 916 930, 936, 941, 943, 951, 953, 205 214, 225, 229, 311, 312, 320					
Part #	Style	U.W/KG	PIN	LOCK	Type
1U3251	Short	2.8	8E6258	8E6259	1
1U3252	Long	3	8E6258	8E6259	2
1U3252RC	Rock Chisel	3.5	8E6258	8E6259	15
9N4252	Heavy Duty Long	4.2	8E6258	8E6259	12
9J4259	Penetration	2.5	8E6258	8E6259	5
4T2253	Abrasion	3.5	8E6258	8E6259	3
9N4253	Heavy Duty Abrasion	4.6	8E6258	8E6259	4
1U3252TL	Tiger	2.8	8E6258	8E6259	11
1U3252WTL	Twin Tiger	3.5	8E6258	8E6259	10
3G8250	Flare wide	2.5	8E6258	8E6259	6
CAT J300: 950, 953B 966, E180, 215, 219, 235, 205 214, 315, 320, 322					
Part #	Style	U.W/KG	PIN	LOCK	Type
1U3301	short	4	9J2308	8E6259	1
1U3302	Long	4.5	9J2308	8E6259	2
1U3302RC	Rock Chisel	5	9J2308	8E6259	15
9N4302	Heavy Duty Abrasion	5.5	9J2308	8E6259	4
9J4309	Penetration	3.6	9J2308	8E6259	5
4T2203RP	Abrasion Penetration	9	9J2308	8E6259	7
4T2303	Abrasion	5.3	9J2308	8E6259	3
9N4303	Heavy Duty Abrasion	7.2	9J2308	8E6259	4
1U3302TL	Tiger	4.3	9J2308	8E6259	11
1U3302WTL	Twin Tiger	4.8	9J2308	8E6259	10
4T1300	Flare wide	5.8	9J2308	8E6259	6

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



CAT J350: 966B, 977, 980, E180, E240, 213B, 214B, 215 229, 320, 322, 325, 330

Part #	Style	U.W/KG	PIN	LOCK	Type
1U3351	Short	5.60	8E6358	8E6359	1
1U3352	Long	6.00	8E6358	8E6359	2
1U3352 RC	Rock Chisel	7.2/8.2	8E6358	8E6359	14
1U3352 SYL	SYL	7.60	8E6358	8E6359	8
9N4352	Heavy Duty Long	8.60	8E6358	8E6359	12
9J4359	Penetration	5.60	8E6358	8E6359	5
4T2353RP	Abrasion	10.00	8E6358	8E6359	3
4T2353	Abrasion	7.50	8E6358	8E6359	3
9N4353	Heavy Duty Abrasion	11.50	8E6358	8E6359	4
9W8359 / 1U3352 TL	Tiger	6.90	8E6358	8E6359	11
135-9358 / 1U3352 WTL	Twin Tiger	7.20	8E6358	8E6359	10

CAT J400: 980G, 322, 325, 330

Part #	Style	U.W/KG	PIN	LOCK	Type
7T3401	Short	8.2	7T3408	8E8409	1
7T3402	Long	9.50	7T3408	8E8409	2
7T3402 RC	Rock Chisel	9.90	7T3408	8E8409	14
8E4402	Heavy Duty Long	11.50	7T3408	8E8409	12
6Y7409	Penetration	8.80	7T3408	8E8409	5
7T3403 RP / PT	Abrasion Penetration	17.00	7T3408	8E8409	7
7T3403	Heavy Duty Abrasion	13.5	7T3408	8E8409	4
6Y5409 / 7T3402 TL	Tiger	9.50	7T3408	8E8409	11
135-9408 / 7T3402 WTL	Twin Tiger	10.50	7T3408	8E8409	10
7T3400	Flare wide	12.5	7T3408	8E8409	6
8E4402 SYL	SYL	11.00	7T3408	8E8409	8

CAT J450/460: 983, 988, 988B, 225, 229, E300, 235, 325, 330, 345, 350

Part #	Style	U.W/KG	PIN	LOCK	Type
9W8451	Short	11.80	8E0468	8E8469	1
9W8452 / 1U3452	Long	12.50	8E0468	8E8469	2
1U3452 RC / 9W8452 RC	Rock Chisel	13.50	8E0468	8E8469	14
9N4452	Heavy Duty Long	17.50	8E0468	8E8469	12
9J4459 / 9W8459	Penetration	9.70	8E0468	8E8469	5
9W1453 RP / PT	Abrasion Penetration	23.00	8E0468	8E8469	7
9W1453	Abrasion	14.00	8E0468	8E8469	3
9N4453	Heavy Duty Abrasion	22.50	8E0468	8E8469	4
7T8459 / 1U3452 TL	Tiger	13.50	8E0468	8E8469	11
138-6458 / 1U3452 WTL	Twin Tiger	15.00	8E0468	8E8469	10
8J1450/1073450	Flare wide	15.50	8E0468	8E8469	6

CAT J550: 988G, 992, 235, 245, 345, 350, 375

Part #	Style	U.W/KG	PIN	LOCK	Type
9W8551	Long	15.50	6Y8558	8E5559	1
9W8552 / 1U3552	Long	19.50	6Y8558	8E5559	2
9W8552 RC / 1U3552 RC	Rock Chisel	24.00	6Y8558	8E5559	14
9N4552	Heavy Duty Long	26.00	6Y8558	8E5559	12
9J4559 / 9W8559	Penetration	15.60	6Y8558	8E5559	5
9W1553 RP / PT	Abrasion Penetration	29.00	6Y8558	8E5559	7
9W1553	Abrasion	23.50	6Y8558	8E5559	3

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



CAT J550: 988G, 992, 235, 245, 345, 350, 375


Part #	Style	U.W/KG	PIN	LOCK	Type
6Y2553	Heavy Duty Abrasion	32.00	6Y8558	8E5559	4
138-6558 / 1U3552 WTL	Twin Tiger	22.50	6Y8558	8E5559	10

CAT J600: 992, 375

Part #	Style	U.W/KG	PIN	LOCK	Type
6I6602	Long	34.00	6I6608	6I6609	2
6I6602 RC	Rock Chisel	40.00	6I6608	6I6609	14
7I7609	Penetration	30.00	6I6608	6I6609	5
6I6603	Heavy Duty Abrasion		6I6608	6I6609	4
107-8609 / 6I6602 TL	Tiger		6I6608	6I6609	11

CAT J700: 992G, 994, 375

Part #	Style	U.W/KG	PIN	LOCK	Type
4T4703	Abrasion	51.00	4T4708	4T4707	3
4T4709	Penetration	48.30	4T4708	4T4707	5



CAT Side Weld On Double Strapped Adapter

Part #	Family	Edge Thickness	U.W/KG	Model	Type
6Y3224	J225	29	3.00	E70B, 307, 446	9
6Y3254	J250	31	3.95	200B, 205-213, 311, 31	3
3G6304	J300	35	7.80		3
8E6464	J460	50	17.50		3

CAT Style Weld On Center Double Strapped Adapters

Part #	Family	Edge Thickness	U.W/KG	Model	Type
3G8354	J350	40	9.50	J350	10
6I6354	J350	40	9.00	J350	9
6I6404	J400	50	13.50	J460	9
6I6464 / 159-0464	J460	55	20.50	J460	9
6I6554	J550	60	35.00	J550	9
6I6604	J600	70-75	58.00	J600	9

CAT Style Bolt On Center Adapter For 910 - 988, 963B, 966C, 972G, 966D, 980C, 980F, 416 436, IT12

Part #	Family	Edge Thickness	U.W/KG	Bolt	Nut	Type
9J4207	J200	19	3.20	2J4771	2J3506	7
1U0257	J250	25	7.80	5P8136	8J2933	7
1U0307	J300	25	11.00	5P8136	8J2933	7
4T4307	J300	32	12.80	5P8136	8J2933	7
3G3357	J350	38	18.00	5P8361	5P8362	7

CAT Style Weld On Bottom Leg Adapter For 916 980, 966C, 966D, 416, 426, 428, IT18, IT28

Part #	Family	Edge Thickness	U.W/KG	Bolt	Nut	Type
8J7525	J200	13-25	1.50			4
3G0169	J250	19-32	5.60			4
9J8929	J300	25-38	8.00			4
1U1350	J350	32-45	10.00			4

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763




CAT Style Bolt On Center Adapters For 910, 914,931, 933, 935,-----955, 988, 966C,966G, 970F, 972G, 966D, 980C,						
Part #	Family	Edge Thickness	U.W/KG	Bolt	Nut	Type
3G4258	J250	25	10.00	4J9058	8J2933	8
3G4259	J250	25	10.00	4J9058	8J2933	8
3G4308	J300	25-32	15.60	5P8823	5P8362	8
3G4309	J300	25-32	15.60	5P8823	5P8362	8
3G5358	J350	32-38	24.50	5P8823	5P8362	8
3G5359	J350	32-38	24.50	5P8823	5P8362	8

CAT Style Flush Mounted Adapters For 910 992, 966C, 966D, 992B, 992C, 416 428, IT12, IT18, IT28					
Part #	Family	Edge Thickness	U.W/KG	Type	
4T1204	J200	13-25	2.10	1	
1U1254	J250	19-32	5.30	1	
1U1304	J300	25-38	7.70	1	
1U1354	J350	32-45	15.00	1	
8E0464 / 9J9584	J460	45-51	24.00	1	



CAT Monoblock Tooth (Bolt Design)					
Part #	Model	U.W/KG	Bolt	Nut	Type
6Y6335 / 1358203 / 9W187416,426,428		3.40	4F3656	4K0367	1
8J6207	910,931	4.80	5J4771	2J3506	2
1U1857	916,920,924,926,930,936,941,943,951,953	10.20	8J2928	2J3507	2
1U1877	950, 955	12.50	8J2928	8J2933	2
8E1637	950B,955,963	16.20	8J2928	8J2933	2
1U1888	966C,973,977,966D	19.50	5P8823	5P8362	5
1U1889		29.50	5P8823	5P8362	5



CAT Style Ripper Tooth For 951, 955, 140, 140G					
Part #	Style	U.W/KG	Bolt	Nut	Type
6Y0309 / 9J8910	Penetration	5.00	9W2668	8E6359	4

CAT Style Ripper Tooth For D5, D6, D7, 973, 977, 983, 14G, 16G					
Part #	Style	U.W/KG	Bolt	Nut	Type
6Y0352 / 6Y8920	Centerline	10.80	8E6358	8E6359	1
6Y0359	Penetration	11.00	8E6358	8E6359	4

CAT Style Ripper Tooth For D8, D8K, D8L, D8N, D8R, D9, D9H, D9N, D9R					
Part #	Style	U.W/KG	Bolt	Nut	Type
9W2451	Short	15.80	4T2479	6J8814	3
9W2452	Intermediate	17.00	4T2479	6J8814	3

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



CAT Style Ripper Tooth For D9L, D10, D11

Part #	Style	U.W/KG	Bolt	Nut	Type
4T4501	Short	27.00	3G0500	N/A	3
4T5502	Intermediate	28.00	3G0500	N/A	2
9W4551	Short	44.20	6Y2443	N/A	3




CAT Style Ripper Shanks For D4

Part #	Style	U.W/KG	Pin	Lock	Type
9J6586	D4	24.00	8J1443	N/A	2

CAT Style Ripper Protectors For D8K/L/N/R, D9G/H

Part #	Style	U.W/KG	Pin	Lock	Type
6J8814	Shank Protector	14.20	6Y3394	8E4743	1



CAT Style Scarifier Spike & Tips For 12, 14, 112, 130, 140

Part #	Family	U.W/KG	Bolt	Nut	Type
9F5124	Motor Graders	5.50	5K1459	5K1458	3
5B6251	Motor Graders	5.00	5K1459	5K1458	1
101 UNIVERSAL / 101HX	Motor Graders	5.60			1
6Y5230	Motor Graders	1.30			2
2D5572	Motor Graders	1.30			2



CAT Side Cutting

Part #	Style	U.W/KG	Application	Type
096-4747	4 Bolt Hole	11.50	CAT E200B	1
096-4748	4 Bolt Hole	11.50	CAT E200B	1
7Y0358	3 Bolt Hole	19.00	CAT B330	2
7Y0357	3 Bolt Hole	19.00	CAT B330	2

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



KOM Tooth For PC60 PC1000				
Part #	Style	U.W/KG	Pin	Type
20X-70-14160(PC60)	Standard	1.65	20X-70-00150	PC60
20X-70-23161	Standard	2.13	203-70-74281	PC100
205-70-19570	Standard	4.00	09244-02496	1
205-70-19570 SYL	SYL	4.00	09244-02496	3
205-70-19570 VIP	Tiger	4.90	09244-02496	4
205-70-19570 TVIP	Twin Tiger	5.80	09244-02496	5
205-70-19570 RC	Rock Chisel	6.00	09244-02496	6
207-70-14151	Standard	7.10	09244-02516	1
207-70-14151 SYL	SYL	7.90	09244-02516	3
207-70-14151 VIP	Tiger	7.30	09244-02516	4
207-70-14151 TVIP	Twin Tiger	8.80	09244-02516	5
207-70-14151 RC	Rock Chisel	8.80	09244-02516	6
208-70-14152	Standard	11.00	09244-03036	1
208-70-14152 SYL	SYL	12.00	09244-03036	3
208-70-14152 VIP	Tiger	13.70	09244-03036	4
208-70-14152 TVIP	Twin Tiger	14.00	09244-03036	5
208-70-14152 RC	Rock Chisel	15.40	09244-03036	6
208-70-14270	Standard	13.60	09244-03036	2
208-70-14270 RC	Rock Chisel	16.70	09244-03036	6
209-70-54210	Standard	28.60	209-70-54240	1
209-70-54210 VIP	Tiger	23.75	209-70-54240	4
209-70-54210 RC	Rock Chisel	36.00	209-70-54240	6
21N-72-14290	Standard	42.40	21N-72-00060	1
175-78-31232	D85,D135,D150,D155	17.00	09244-02508	Ripper
195-78-21333	D275,D375	17.00	09244-02508	Ripper



KOM Adapter For PC60 PC1000				
Part #	Edge Thickness	U.W/KG	Family	Type
20X-70-14151(PC60 A)		2.10	PC60	1
202-70-12140		3.00	PC100	1
20Y-939-1180(4)	40	7.90	PC200	3
20Y-70-14520(3.5)	35	7.70	PC200	3
205-939-7120(3.2)	32	6.50	PC200	2
207-939-3120(4.0)	40	13.30	PC300	5
207-934-5120(5.0)	50	24.50	PC300	5
208-70-14142		11.00	PC300	4
208-70-14143		23.75	PC400	6
208-934-5120		24.50	PC400	5
209-70-74140		55.00	PC650	6

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China


www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



KOM Side Cutting				
Part #	Style	U.W/KG	Application	Type
201-70-74171	3 Bolt Hole	6.00	kom PC100	
201-70-74172	3 Bolt Hole	6.00	kom PC100	
205-70-74180	4 Bolt Hole	12.00	kom PC200	2
205-70-74190	4 Bolt Hole	12.00	kom PC200	2
207-70-34160	5 Bolt Hole	19.00	kom PC300	3
207-70-34170	5 Bolt Hole	19.00	kom PC300	3



KOM Monoblock Tooth (Bolt Design)					
Part #	Model	U.W/KG	Bolt	Nut	Model
417-70-81391		7.20			2
419-70-13114/ 13113	WA250-1	16.70	09218-12523	01643-32780	1
419-70-13164	WA250-3	21.00	09218-12523	01643-32780	5
419-70-13174	WA320-1, WA320-3	21.00	09218-12523	01643-32780	5
423-70-13114/ 13113	WA380-1,WA380-3	17.50	09218-12219	01643-32260	3
423-70-13154	WA420-1, WA470-3	24.00	09218-12219	01643-32260	4
423-70-13144	WA420-3, WA470-3	24.00	09218-12219	01643-32260	4
418-70-13170	WA180-1	14.70	02290-11422	01643-32260	5
418-70-13160	WA180-3	14.70	02290-11422	01643-32260	5
205-70-S4272	Edge 38mm	17.20	02290-11422	01643-32260	5
207-70-S4212	Edge 42mm	17.20	02290-11422	01643-32260	5
202-70-12130	WA250-1, WA320-1,-3	4.30	09244-02496		1
427-70-13941	WA650	53.00	427-70-13790		2




Hyundai Tooth And Adapter			
Part #	Model	U.W/KG	Type
E161-3027	R130,220(HX80)	4.20	1
E161-3027RC	R130,220(HX80)	4.80	4
E161-3017	R130,220(HX80)	7.20	2
E262-3046	R280,300,320(HX100)	6.80	3
E262-3046 RC	R280,300,320(HX100)	7.50	4
E262-3027	R280,300,320(HX100)	12.00	5
61E7-0101	R420,R450LC3A,HX160	10.00	3

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



Hyundai Tooth And Adapter

Part #	Model	U.W/KG	Type
61E7-0100	R420,R450LC3A,HX160	14.50	5
61E7-04610	R450	9.30	3
61E7-01610RC	R450	9.90	
61E7-0450	R450	14.50	5
61Q6-31310	R255-9	7.00	4
61Q6-31320	R255-9	10.00	5
61N6-31310	R255-7	7.50	4
61N6-31320	R255-7	10.00	5
61N8-31310	R305-7	10.00	4
61N8-31320	R305-7	10.00	5
61NA-31310		13.50	4
61NB-31310		23.00	4



Side Cutter

Part #	Style	U.W/KG	Application	Type
61M5-30270R	3Bolt Hole	10.00	HY55/60	1
61M5-30270L	3Bolt Hole	10.00	HY55/60	1
61E3BC R	5 Bolt Hole	16.50	HY210	2
61E3BC L	5Bolt Hole	16.50	HY210	2



Daewoo Tooth And Adapter

Part #	Model	U.W/KG	Type
2713-9051 / S55/18S	S55V	1.00	1
2713-9050/18SA	S55V	1.50	2
2713-1221	DH130	3.50	3
2713-1222	DH130	6.00	4
2713-9041	DH170,220	6.00	6
2713-9042-40mm	DH170,220	9.00	
2713-1217	DH170,220	6.00	3
2713-1217RC	DH170,220	5.50	7
2713-1218-35/40mm	DH170,220	9/8.6	4
2713-1219 /713-00027	S280V	7.30	3

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



Daewoo Tooth And Adapter			
Part #	Model	U.W/KG	Type
2713-1219RC	S280V	7.20	7
2713-1220-40/45mm	S280V,S300V	11.5/10.9	4
713-00032	S330V,S370	9.60	3
713-00032RC	S330V,S370	9.20	7
713-00032TL	S330V,S370	9.00	5
713-00033-50mm	S330V,S370	17.50	4
2713-1236/713-00029	S400,S450S470S500	17.20	3
2713-1236TL	S400,S450S470S500	15.00	5
2713-1237	S400,S450,S470S500	25.70	4

Daewoo Side Cutting			
Part #	Style	U.W/KG	Application
2713-6052R	3 Bolt Hole	2.20	Hitachi40/50 Daewoo
2713-6053L	3 Bolt Hole	2.20	Hitachi40/50 Daewoo
2713-1059	6 Bolt Hole	16.50	DH130/DH220
2713-1060	6 Bolt Hole	16.50	DH130/DH220
2713-1047	5 Bolt Hole	18.00	DH280
2713-1048	5 Bolt Hole	18.00	DH280
2713-1240	6Bolt Hole	18.00	DH420
2713-1241	6Bolt Hole	18.00	DH420



ESCO Style Conical And Super Conical Teeth					
Part #	Style	U.W/KG	Pin	Lock	Type
18S	Sharp	1.10	18PN	18LK	2
18TL	Tiger	1.10	18PN	18LK	2
18VIP	Tiger	1.20	18PN	18LK	3
22S/TB00395	Sharp	1.40	22PN	22LK	2
25S	Sharp	2.00	25PN	25LK	4
25VIP	Tiger	2.80	25PN	25LK	3
25T/TB00394	Top hole	2.20	25PN	25LK	5
30S	Sharp	2.50	30PN	30LK	4
30VIP	Tiger	3.00	30PN	30LK	3
30TVIP	Twin Tiger	3.80	30PN	30LK	6
35S/TB00147	Sharp	4.50	35PN	35LK	4
35VIP	Tiger	3.60	35PN	35LK	3
35T	Top Hole	4.50	35PN	35LK	5
40S	Sharp	6.00	40PN	40LK	4
40VIP	Tiger	7.20	40PN	40LK	3
45S	Sharp	8.00	45PN	45LK	4


TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



ESCO And KELLY Style Ripper Teeth				
Part #	Style	U.W/KG	Pin	Lock
22RC-10	Ripper Tooth	4.50	25 RP	25 RB
25RC-12	Ripper Tooth	5.60	25 RP	25 RB
35RC-14	Ripper Tooth	14.20	35 RP	35 RB



ESCO Style Heliok / Vertalok Teeth				
Part #	Style	U.W/KG	Pin	Type
37SYL	SYL	8.50	37 LK	1
21VIP	Ttger	3.60	21 LK	2
27VIP	Tiger	4.60	27 LK	2
37VIP	Ttger	7.20	37 LK	2
47VIP	Tiger	10.00	47 LK	2



ESCO Style Conical And Super Conical Adapter			
Part #	Edge Thickness	U.W/KG	Type
833-18	18	1.80	2
3806-25	25	4.70	3
855-30	30	3.80	1
3808-30	35	5.20	1
3808-35	35	9.60	1
3809-40	40	14.50	1



1

2


3

CASE Tooth And Adapter			
Part #	Family	U.W/KG	Type
230SP		1.60	1
230ST		1.20	3
834-23		1.50	2
240SP		2.00	1
250SP		2.50	1

TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



Bofors Tooth And Adapter

Part #	Family	Edge Thickness	U.W/KG	Type
4046663			11.50	4
4046729			7.00	4
3027689/38104			14.50	4
4046818/30104			2.50	2
4046799/31104			3.50	2
3032682/32105			7.50	2
4046816/31006			1.20	13
4046797/31004			2.00	13
4046819/32004			4.00	13
4046862/33004			5.30	13
4044339/34004			8.50	13
3031387/35003			16.50	13



1

John Deere Tooth And Adapter

Part #	Model	U.W/KG	Type
JD23	JD 315	1.80	1




5

VOLVO Tooth And Adapter

Part #	Model	U.W/KG	Type
14530544/E161-3027	EC210	4.2	1
14530544RC/E161-3027RC	EC210	7	5
EC210 A/E161-3017	EC210	10.5	2
1U3352	EC240	5.8	1
1U3352RC	EC240	7	5
6I6354	EC240	9	2
1171-01910	EC290	10.5	1
1171-01910RC	EC290	10.8	5
1171-01900	EC290	20.4	2
V460	EC360 EC460	16	3
V460RC	EC360 EC460	13.5	5
V460A	EC360 EC460	25	4






VOLVO Side Cutter				
Part #	Style	U.W/KG	Application	Type
1171-00171	3 Bolt Hole	18.30	EC210	1
1171-00181	3 Bolt Hole	18.30	EC210	1
1171-01170	4 Bolt Hole	21.00	EC290	2
1171-01180	4 Bolt Hole	21.00	EC290	2



Liebherr Tooth And Adapter			
Part #	Model	U.W/KG	Type
3001318	R914/924	9.75	1
3001288			2
3001319	R944	16.00	1
R944 A	R944	26.5	2



JCB Tooth and side cutter			
Part #	Space	U.W/KG	Type
53103205SB	23mm	2.80	1
53103208SB	23mm	5.40	2
53103209SB	23mm	5.40	2
53103205	23mm	2.30	3
53103205 P	23mm	3.00	4
53103206		4.30	5
53103207		4.30	5
53103208	23mm	4.80	6
53103209	23mm	4.80	6





1 2 3 4

Kobelco Tooth And Adapter


Part #	U.W/KG	Type
SK200	4.50	1
SK200RC	5.20	3
BF01P	9.50	2
SK230	7.50	1
SK230RC	9.20	3
AF02L	9.30	2
SK350		1
SK350 RC	10.00	3
SK200R	12.50	4
SK200L	12.50	4



1 2 3 4 5

Hitachi Tooth And Adapter

Part #	Model	U.W/KG	Type
TB00394	EX60/70	2.10	3
20X-70-14151	EX60/70	2.80	4
25S/TB00395	EX60/70	2.10	1
25SA/TB00593	EX60/70	4.70	2
30S/TB00147	EX100	2.50	1
30SA/TB00267	EX100	5.20	2
TB00705	EX200/210	7.50	3
TB00704	EX200/210	10.80	4
TB00822	EX350	11.50	3
TB00821	EX350	23.00	4
EX200R	EX200	13.50	5
EX200L	EX200	13.50	5



1 2 3 4 5 6


HENSLEY Style Parabolic Teeth

Part #	Style	U.W/KG	Pin	Type
X156	Short	1.30	P156	1
X156T	Tiger	1.20	P156	4
X156WT	Twin Tiger	1.60	P156	2
155X156-28	Adapter	2.00	P156	



Add: Qiu Industrial Village, Fenghua ,Ningbo City 315100, China

www.tigmachinery.com Tel:0086-574-88193762 Fax:0086-574-88193763



HENSLEY Style Parabolic Teeth				
Part #	Style	U.W/KG	Pin	Type
230X156-16	Adapter	1.80	P156	
552X156-20	Adapter	3.00	P156	
X220	Short	3.20	K220S	1
X220T	Tiger	3.00	K220S	4
X220WT	Twin Tiger	3.80	K220S	2
X290	Short	4.20	K290S	1
X290T	Tiger	3.80	K290S	4
X290WT	Twin Tiger	4.80	K290S	2
127X290-32	Adapter	9.80	K290S	
158X-292-38	Adapter	10.00	K290S	
X310	Short	4.70	K310S	1
X330	Short	6.00	K330S	1
X330T	Tiger	5.60	K330S	4
937X330-45	Adapter	15.00	K330S	
X370	Short	9.00	K370S	1
940X370-52	Adapter	16.00	K370S	
X400	Short	7.80	K400S	1
X410	Short	12.00	K410S	1
X475	Short	17.00	K475S	1