



TIGER (CHINA) ENGINEERING MACHINERY CO.,LTD

Address: Hengxi industrial zone, Fenghua, Ningbo, China

Mob: 008613586913241

Tel: 0086-574-88193762

Fax: 0086-574-88193763

Email: tig@tigmachinery.com

Web site: www.tigmachinery.com



BULLDOZER CUTTING EDGES (推土机刀片)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
8294269	19*203*1060	FIAT				30	30MnB HEAT TREATED		
8294669	19*203*756	FIAT				21.3	30MnB HEAT TREATED		
8294271	19*203*809	FIAT				22.8	30MnB HEAT TREATED		
8294669	19*203*756	FIAT				21.3	30MnB HEAT TREATED		
11082664-11	30*480*687	VOLVO				74	30MnB HEAT TREATED		
11082666-6	30*380*1818	VOLVO				155	30MnB HEAT TREATED		
100-4015	75*380*1190	CAT				272	30MnB HEAT TREATED		
100-4043	45*265*556	CAT	CAT980	48.6	45*265*556	48.6	30MnB HEAT TREATED		
100-4044	40*200*556	CAT				33.1	30MnB HEAT TREATED		
100-6356	45*330*1162	CAT				127.8	30MnB HEAT TREATED		
100-6664	30*253*360	CAT		17.9	30*253*360	18.9	30MnB HEAT TREATED		
100-6666	30*293*359	CAT	970	21.4	30*293*359	23.4	30MnB HEAT TREATED		
100-6668	30*360*1399.5	CAT LOADER	CAT 972	104.7	30*360*1399.5	110	30MnB HEAT TREATED		
10120745	30*360*1403.4					110	30MnB HEAT TREATED		
10120752	30*360*845					66.5	30MnB HEAT TREATED		
10120757	25*280*820					40	30MnB HEAT TREATED		
10127292	35*254*806					45.6	30MnB HEAT TREATED		
101-9435	38*346*482	CAT	988F	47.5	40*342*482	47.5	30MnB HEAT TREATED		
101-9436	38*354*482	CAT	988F	50	40*354*482	50	30MnB HEAT TREATED		
101-9437	38*354*482	CAT	988F	50	40*354*482	50	30MnB HEAT TREATED		

106-0956	19*254*1380								
106-9290	35*227*510	CAT				28.5	30MnB HEAT TREATED		
107-3381	30*360*1240					93.2	30MnB HEAT TREATED		
107-3383	75*545*556					165.2	30MnB HEAT TREATED		
107-3474	45*254*910					75.65	30MnB HEAT TREATED		
107-3477	45*254*1520					127.74	30MnB HEAT TREATED		
107-3479	45*254*1034					86.81	30MnB HEAT TREATED		
107-3483	45*254*1095					92.12	30MnB HEAT TREATED		
107-3490	45*312*482			50	45*312*482	50	30MnB HEAT TREATED		
107-3528	45*354*482	CAT				56.3	30MnB HEAT TREATED		
107-3537	45*354*482	CAT				56.3	30MnB HEAT TREATED		
107-3538	45*354*482					56.3	30MnB HEAT TREATED		
107-3746	25*280*1179	CAT LOADER	CAT 938	57	25*280*1179	57	30MnB HEAT TREATED		
109-9019	30*315*360			22.3	30*315*360	22.3	30MnB HEAT TREATED		
109-9212	35*406*1450	CAT LOADER	CAT 980	153.3	35*406*1450	153.3	30MnB HEAT TREATED		
109-9215	35*254*627					41.3	30MnB HEAT TREATED		
109-9230	45*406*1451					190.2	30MnB HEAT TREATED		
112-2471	45*330*803					88.37	30MnB HEAT TREATED		
112-2472	45*330*1353	CAT	D8	148.64	45*330*1353	149	30MnB HEAT TREATED		
112-80-00016							30MnB HEAT TREATED		
112-83-00017							30MnB HEAT TREATED		
112-83-00018							30MnB HEAT TREATED		
112-83-00019							30MnB HEAT TREATED		
112-946-1510	16*152*370					6.2	30MnB HEAT TREATED		
118-7110	19*203*1199	CAT	BACKHOE LOADER	33.8	19*203*1199	33.8	30MnB HEAT TREATED		
122-80-00002							30MnB HEAT TREATED		
122-80-00013							30MnB HEAT TREATED		
122-80-00017							30MnB HEAT TREATED		
122-80-00019							30MnB HEAT TREATED		
122-9227	25*254*894	CAT		40.49	25*254*894	42	30MnB HEAT TREATED		
122-946-1510							30MnB HEAT TREATED		
128-2872	19*203*323	CAT		9.2	19*203*323		30MnB HEAT TREATED		

128-2873	19*203*265	CAT		7.5	19*203*265		30MnB HEAT TREATED		
11G-71-31170	16*160*380	KOMATSU				7	30MnB HEAT TREATED		
12F-70-31251	16*160*762	KOMATSU	D31,D40,D60	13.2	16*152*760	14.1	30MnB HEAT TREATED		
12F-70-31261	16*160*914	KOMATSU	D31,D37,D40,D41	15.9	16*152*914	16.9	30MnB HEAT TREATED		
12F-70-31281	16*160*1219.2	KOMATSU	D31,D37,D40,D41	21.2	16*152*1219	22.5	30MnB HEAT TREATED		
130-70-41130	19*203*1350	KOMATSU	D58E-1	37.7	19*203*1350	38.2	30MnB HEAT TREATED		
130-70-61170	19*203*1535	KOMATSU	D50,D53,D58	43.4	19*203*1535	43.4	30MnB HEAT TREATED		
130-920-2180	19*203*1199	KOMATSU	D50,D53,D58,D65	33.5	19*203*1199	33.5	30MnB HEAT TREATED		
130-Z20-1510	19*203*1255	KOMATSU	D58E-1,D58P-1	35	19*203*1255	36	30MnB HEAT TREATED		
132-1033	35*170*496	CAT				20.65	30MnB HEAT TREATED		
132-1035	35*225*280	CAT		14.8	35*225*280	15	30MnB HEAT TREATED		
132-1037	35*265*280	CAT		17.5	35*265*280	17.5	30MnB HEAT TREATED		
132-4715	35*278*305	CAT				16.5	30MnB HEAT TREATED		
134-72-61410	19*203*1350	KOMATSU	D61	37.6	19*203*1350	37.6	30MnB HEAT TREATED		
134-72-61420	19*203*1255	KOMATSU	D61	35	19*203*1255	35	30MnB HEAT TREATED		
135-6537	25*280*1108	CAT		2		58.4	30MnB HEAT TREATED		
135-9294	40*300*330	CAT		30.8	40*300*330	30.8	30MnB HEAT TREATED		
135-9295	40*315*330	CAT		32.3	40*315*330	32.3	30MnB HEAT TREATED		
135-9296	40*315*330	CAT		32.3	40*315*330	32.3	30MnB HEAT TREATED		
135-9647	30*265*360	CAT	966	18.8	30*265*360	18.8	30MnB HEAT TREATED		
135-9648	30*210*360	CAT		14.9	30*210*360	14.9	30MnB HEAT TREATED		
135-9649	30*265*360	CAT		18.8	30*265*360	18.8	30MnB HEAT TREATED		
138-0865	40*344*482	CAT		47.6	40*344*482		30MnB HEAT TREATED		
138-0866	40*354*482	CAT		50	40*354*482		30MnB HEAT TREATED		
138-0867	40*354*482	CAT		50	40*354*482		30MnB HEAT TREATED		
138-6470	35*312*482	CAT		40	35*312*482		30MnB HEAT TREATED		
138-6471	35*323*482	CAT		41	35*323*482		30MnB HEAT TREATED		
138-6472	35*323*482	CAT		41	35*323*482		30MnB HEAT TREATED		
139-9230	30*360*1280	CAT LOADER	962,950	96.4	30*360*1285	101.5	30MnB HEAT TREATED		
140-0983	16*203*914	CAT				21	30MnB HEAT TREATED		

140-2187	16*165*1008	CAT				18.5	30MnB HEAT TREATED		
140-6862	35*256*360	CAT		21.8	35*256*360		30MnB HEAT TREATED		
140-6863	35*265*360	CAT		22.6	35*265*360		30MnB HEAT TREATED		
140-6864	35*265*360	CAT		22.6	35*265*360		30MnB HEAT TREATED		
140-6865		CAT					30MnB HEAT TREATED		
140-6866	35*210*360	CAT		17.5	35*210*360		30MnB HEAT TREATED		
140-6867	35*240*360	CAT		19.8	35*240*360		30MnB HEAT TREATED		
140-6868	35*270*360	CAT		23	35*270*360		30MnB HEAT TREATED		
140-6869	35*253*360	CAT		20.9	35*253*360		30MnB HEAT TREATED		
140-6870	35*293*360	CAT		25	35*293*360		30MnB HEAT TREATED		
140-7601	30*360*292	CAT		21.6	30*360*292	21.6	30MnB HEAT TREATED		
140-80-00001	19*203*730	KOMATSU		NO DATA	NO DATA	20.4	30MnB HEAT TREATED		
140-80-00006									
144-70-11131	19*203*1660	KOMATSU	D60,D65A,D65P-8	47	19*203*1660	47	30MnB HEAT TREATED		
144-920-1120	19*203*1382	KOMATSU	D60A,D65A-8	38.6	19*203*1383	40	30MnB HEAT TREATED		
14X-71-11310	19*203*1383	KOMATSU				40	30MnB HEAT TREATED		
154-70-11313	25*254*1156	KOMATSU	D80,D85	54.9	25*254*1157	54.5	30MnB HEAT TREATED		SAME
154-70-11314	25*254*1156			54.9	25*254*1157	54.5	30MnB HEAT TREATED		
154-71-41390	25*254*850					39.2	30MnB HEAT TREATED		
154-81-11190	25*254*838	KOMATSU	D80,D85	39.7	25*254*838	39.5	30MnB HEAT TREATED		SAME
154-81-11191	25*254*838			39.6	25*254*838	39.5	30MnB HEAT TREATED		
156-82-00001	25*254*844	KOMATSU		NO DATA	NO DATA	40	30MnB HEAT TREATED		
171-82-00001	25*254*330					13.6	30MnB HEAT TREATED		
171-82-00002	25*254*804					38.1	30MnB HEAT TREATED		
171-82-00003	25*254*330					13.6	30MnB HEAT TREATED		
175-70-21115	25*254*1397	KOMATSU	D155	66	25*254*1397	66	30MnB HEAT TREATED		
175-70-26310	25*254*1062	KOMATSU	D135A-2,D150A-1,D155A-2	50.2	25*254*1064	50	30MnB HEAT TREATED		
17A-71-11351	35*330*764 POINT	KOMATSU	D155	57.7	32*330*761	63	30MnB HEAT TREATED		
17A-71-11654	32*330*761	KOMATSU		NO DATA	NO DATA	54	30MnB HEAT TREATED		
17A-71-45210	32*330*1064	KOMATSU		82.5	32*330*1064	82.5	30MnB HEAT TREATED		
17A-71-45220	35*330*530	KOMATSU				37	30MnB HEAT TREATED		
17A-71-45230	40*330*530	KOMATSU				45.1	30MnB HEAT TREATED		
17M-71-21550	30*330*1090	KOMATSU	D275A-2	82.5	32*330*1088	77.6	30MnB HEAT TREATED		
	35*330*1090					90.5	30MnB HEAT TREATED		

	38*330*1091					98.3	30MnB HEAT TREATED		
17M-72-21160	30*330*781	KOMATSU		59.2	32*330*781	55.5	30MnB HEAT TREATED		
195-70-12492	30*330*1327	KOMATSU	D355	102.7	32*330*1327	97	30MnB HEAT TREATED		
195-71-11654	30*330*1064	KOMATSU	D355			77.6			
	35*330*1064	KOMATSU	D355	82.5	32*330*1064	90.5	30MnB HEAT TREATED		
195-71-61550	40*406*887	KOMATSU	D375	108	41*406*887	108	30MnB HEAT TREATED		
198-71-11181	40*406*1192	KOMATSU	D375,D455	145.1	41*406*1192	145.1	30MnB HEAT TREATED		
198-72-11181	40*406*862	KOMATSU	D375A-2	102.2	41*406*862	102.5	30MnB HEAT TREATED	8mm or 40mm	
419-904-1121	25*254*1255.8		WA-300	57.1	25*254*1257	58	30MnB HEAT TREATED		
421-70-12122	35*225*3050					185	30MnB HEAT TREATED		
421-70-12430	35*225*3170					192.1	30MnB HEAT TREATED		
421-815-1121	35*330*546					46.5	30MnB HEAT TREATED		
421-815-1221	35*330*592					50.4	30MnB HEAT TREATED		
421-815-2110	35*330*2070					177	30MnB HEAT TREATED		
421-815-2211	30*330*1382		WA-450-3E			118.2	30MnB HEAT TREATED		
421-815-2220	30*196*445		WA-450-3E			22.6	30MnB HEAT TREATED		
421-825-3210	35*330*1302					111.2	30MnB HEAT TREATED		
421-825-3220	35*278*455					32.77	30MnB HEAT TREATED		
423-815-1111	35*330*1617					142.86	30MnB HEAT TREATED		
423-815-2210	30*330*1249					107	30MnB HEAT TREATED		
423-904-1131	25*254*1217.6			56.8	25*254*1218	56.8	30MnB HEAT TREATED		
424-70-H2D60	30*330*650	KOMATSU LOAD	WA380	45.5	30*330*650	45.5	30MnB HEAT TREATED		
424-815-1211	35*330*1860					156.5	30MnB HEAT TREATED		
1U0292	25*280*1162	CAT LOADER	CAT936	56.4	25*280*1161	56.4	30MnB HEAT TREATED		
1U0295	25*280*1025	CAT LOADER	CAT952,951,941,926,924	49.4	25*280*1025	49.4	30MnB HEAT TREATED		
1U0593	30*360*1319	CAT LOADER	CAT970,972,966,960	99.5	30*360*1319	100	30MnB HEAT TREATED		
1U0601	30*360*1210	CAT LOADER	CAT950,960	91.1	30*360*1210	96	30MnB HEAT TREATED		
1U0761	40*556*265	LOADER END BI	CAT980,988	43	40*556*265	43	30MnB HEAT TREATED		
1U0762	35*406*1406	CAT LOADER	CAT980	148.6	35*406*1406	148.6	30MnB HEAT TREATED		
1U1192	19*254*912.8	CAT	D7	31.78	19*254*913	31.8	30MnB HEAT TREATED		
1U1909	30*360*1260	CAT LOADER	CAT966,970	94.1	30*360*1260	94.1	30MnB HEAT TREATED		
1U2211	19*203*1396	CAT	D5	38.97	19*203*1396	39	30MnB HEAT TREATED		
1U2406	30*360*1230.5	CAT LOADER	CAT966	91.9	30*360*1230.5	94.1	30MnB HEAT TREATED		
1U4930	35*254*856	CAT	D8	50.8	32*254*856	55.6	30MnB HEAT TREATED		
1U4931	32*254*1095	CAT	D8	65.18	32*254*1095	65.5	30MnB HEAT TREATED		

3G4282	19*203*1152	CAT	D5,D6	32.19	19*203*1152	32.2	30MnB HEAT TREATED		
3G6395	35*200*510	CAT	977,973,970F,966D,966E,966F,966C	25.6	35*200*510	25.6	30MnB HEAT TREATED		
3G9306	19*203*884	CAT	D4,D5	20.23	16*203*884	22	30MnB HEAT TREATED		
4T2236	25*203*2438	CAT				93.03	30MnB HEAT TREATED		
4T2315	19*203*1558	CAT	D5,D6	43.49	19*203*1558	43.5	30MnB HEAT TREATED		
4T2887	22*406*1530	CAT SCRAPER	CAT641,632	96.5	22*406*1530	96.5	30MnB HEAT TREATED		
4T2895	30*406*1528.6	CAT SCRAPER	CAT641,632	126.4	29*406*1528.6	131	30MnB HEAT TREATED		
4T2921	19*254*1063	CAT	D7	36.99	19*254*1063	36.99	30MnB HEAT TREATED		
4T2922	19*254*758	CAT	D7	26.38	19*254*758	26.38	30MnB HEAT TREATED		
4T2923	19*254*1029	CAT	D7	35.78	19*254*1029	35.78	30MnB HEAT TREATED		
4T2945	19*254*708	CAT	D7	24.85	19*254*708	25	30MnB HEAT TREATED		
4T2948	19*254*1063	CAT	D7	37.34	19*254*1063	38	30MnB HEAT TREATED		
4T2949	19*254*1520	CAT	D7	53	19*254*1520	53	30MnB HEAT TREATED		
4T2952/5J6839	19*254*802	CAT	D6,D7	28.2	19*254*802	28.2	30MnB HEAT TREATED		
4T2973	16*203*860	CAT	D4	19.73	16*203*860	20.2	30MnB HEAT TREATED		
4T2974	16*203*808	CAT	D4	18.58	16*203*808	18.6	30MnB HEAT TREATED		
4T2981	16*203*2334	CAT	D4	53.14	16*203*2334	53.14	30MnB HEAT TREATED		
4T2985	25*254*802	CAT	D6,D7	36.75	25*254*802	37.7	30MnB HEAT TREATED		
4T2988	25*254*1034	CAT	D8S,8A	46.82	25*254*1034	48.6	30MnB HEAT TREATED		
4T2989/5J6849	25*254*1063	CAT	D7A	48.67	25*254*1063	50	30MnB HEAT TREATED		30
4T2992	25*254*758	CAT	D7	34.35	25*254*758	35.6	30MnB HEAT TREATED		
4T2993	25*254*1063	CAT	D7	48.18	25*254*1063	49.25	30MnB HEAT TREATED		
4T2994	25*254*1215	CAT	D8A	55.06	25*254*1215	57.1	30MnB HEAT TREATED		
4T3004	19*203*1440	CAT	D5	40.22	19*203*1440	40.8	30MnB HEAT TREATED		
4T3007	19*203*1828	CAT	GRADER BLADE	51.1	19*203*1828	51	30MnB HEAT TREATED		
4T3008	19*203*1164	CAT		32.32	19*203*1164	32.32	30MnB HEAT TREATED		
4T3009/6J1406	19*203*1521	CAT	D6A	42.44	19*203*1521	43	30MnB HEAT TREATED		
4T3010	19*203*657	CAT	D6	18.36	19*203*657	18.5	30MnB HEAT TREATED		
4T3011	19*203*1619	CAT	D6	45.15	19*203*1619	45.2	30MnB HEAT TREATED		
4T3012				41.76	19*203*1497	42	30MnB HEAT TREATED		
4T3013	19*203*1010	CAT	D5,D6	28.15	19*203*1010	28.2	30MnB HEAT TREATED		
4T3014			D5	62.37	19*203*2231		30MnB HEAT TREATED		
4T3015	30*256*360	OADER END BI	950,973,980	18.6	30*256*360	18.6	30MnB HEAT TREATED		
4T3020	19*203*860	CAT	D5,D6	23.82	19*203*860	23.82	30MnB HEAT TREATED		
4T3028	19*203*674	CAT		18.88	19*203*674	19	30MnB HEAT TREATED		
4T3043	19*203*290	CAT				8.4	30MnB HEAT TREATED		
4T3044	19*203*290	CAT				8.4	30MnB HEAT TREATED		
4T3418	25*254*1534	CAT	D8	69.54	25*254*1534	70	30MnB HEAT TREATED		

4T3420	25*254*818	CAT	D7	37.15	25*254*818	37.2	30MnB HEAT TREATED		
4T3422	25*254*1095	CAT	D8	49.67	25*254*1095	51.5	30MnB HEAT TREATED		
4T3423	25*254*856	CAT	D8	38.72	25*254*856	39	30MnB HEAT TREATED		
4T3444	30*406*1580	CAT SCRAPER	CAT611,631,637	130.8	29*406*1580	135.5	30MnB HEAT TREATED		
4T5318	19*254*894	CAT	D7	31.1	19*254*894	31.5	30MnB HEAT TREATED		
4T6230	16*165*863.6	CAT	D3,D4	15	16*165*863.6	16	30MnB HEAT TREATED		
4T6378	30*330*900	CAT	D8,D9	61.6	28.5*330*900	65	30MnB HEAT TREATED		
4T6381	30*330*1354	CAT	D8,D9	92.68	28.5*330*1354	97.6	30MnB HEAT TREATED		10
4T6386	30*330*1040	CAT	D9	71.17	28.5*330*1040	75.7	30MnB HEAT TREATED		
4T6513		CAT							
4T6514	25*254*1558	CAT		70.66	25*254*1558	71.4	30MnB HEAT TREATED		
4T6515	25*254*1773	CAT	D835,834S,826	80.29	25*254*1773	83.3	30MnB HEAT TREATED		
4T6531	25*254*1520	CAT	D8	68.89	25*254*1520	69	30MnB HEAT TREATED		
4T6532	25*254*910	CAT	D8	43.3	25*254*910	44.5	30MnB HEAT TREATED		
4T6568	25*406*1429	CAT SCRAPER	CAT621,627	90.2	22*406*1429	90.3	30MnB HEAT TREATED		
4T6592	35*406*858					91.3	30MnB HEAT TREATED		
4T6594	35*406*1542					164.1	30MnB HEAT TREATED		
4T6612	25*330*748	CAT SCRAPER	CAT621,627	39	22*330*748	44.3	30MnB HEAT TREATED		
4T6613		CAT SCRAPER	CAT613	29	22*330*560		30MnB HEAT TREATED		
4T6614		CAT SCRAPER	CAT641,637,632,631	46.9	22*330*900		30MnB HEAT TREATED		
4T6648	30*305*1520	CAT		NO DATA	NO DATA	99	30MnB HEAT TREATED		
4T6659	19*203*1052	CAT	D4,D5,D6	29.35	19*203*1052	29.4	30MnB HEAT TREATED		
4T6694	25*225*280	CAT	SIDE EDGE	10.6	25*225*280	11	30MnB HEAT TREATED		
4T6695	25*265*280	CAT	SIDE EDGE	12.5	25*265*280	12.5	30MnB HEAT TREATED		
4T6696		CAT	SIDE EDGE				30MnB HEAT TREATED		
4T6697	30*210*360	CAT	SIDE EDGE	14.9	30*210*360	15	30MnB HEAT TREATED		
4T6698	30*240*360	CAT	SIDE EDGE	17	30*240*360	17	30MnB HEAT TREATED		
4T6699	30*270*360	CAT	SIDE EDGE	19.7	30*270*360	23	30MnB HEAT TREATED		
4T-6700	30*290*360	CAT	988B,980C,	21.2	30*290*360	21.5	30MnB HEAT TREATED		
4T8077	16*203*2382	CAT				54.75	30MnB HEAT TREATED		
4T8091	25*160*342	CAT				10	30MnB HEAT TREATED		
4T8101	30*170*496	CAT	950G			19	30MnB HEAT TREATED		
4T8317	35*254*2438	CAT				160.4	30MnB HEAT TREATED		
4T8796	19*254*1238	CAT				43.4	30MnB HEAT TREATED		
4T8799	25*254*998.4	CAT		NO DATA	NO DATA	45.4	30MnB HEAT TREATED		
4T8940	16*203*1193.8	CAT	D4,D5	27.33	16*203*1193.8	28	30MnB HEAT TREATED		
4T9585/6Y5540		CAT					30MnB HEAT TREATED		
4T9586	30*330*1695	CAT	D8	116.09	28.5*330*1695	122.2	30MnB HEAT TREATED		

4T9587/6Y5540	30*330*802	CAT	D8,D9	54.8	29*330*802	56.7	30MnB HEAT TREATED		
4T9836	35*330*1695	CAT	D8	143.75	35*330*1695	144	30MnB HEAT TREATED		
5J6888	19*254*1063	CAT	D6			38.2	30MnB HEAT TREATED		
	25*254*1063	CAT	D7	37.34	19*254*1063	49.3	30MnB HEAT TREATED		
5V7276	25*245*2616	CAT		114.8	25*245*2616	123.3	30MnB HEAT TREATED		
5V7423	25*245*2439	CAT				106.9	30MnB HEAT TREATED		
6J1406		CAT			19*203*1521	42.5	30MnB HEAT TREATED		
6J7116	25*254*1533	CAT	D8R,8S	69.54	25*254*1534	72.1	30MnB HEAT TREATED		
6W2985		CAT					30MnB HEAT TREATED		
6W2987		CAT					30MnB HEAT TREATED		
6W2989	32*282*2840	CAT				185	30MnB HEAT TREATED		
6W2990	30*282*2856	CAT				175.1	30MnB HEAT TREATED		
6Y3840	25*254*1225.6	CAT		57	25*254*1225.6	58	30MnB HEAT TREATED		
6Y5539	30*330*1787	CAT	D9	125.4	29*330*1787	130	30MnB HEAT TREATED		
6Y5540/4T9587	30*330*802	CAT	D8,D9	54.8	29*330*802	54.8	30MnB HEAT TREATED		
7J2959	40*330*900	CAT	D9	89.84	41*330*900	88	30MnB HEAT TREATED		
7J2980	40*330*1040	CAT	D9	103.79	41*330*1040	110.9	30MnB HEAT TREATED		4T2234
7T3495	25*203*2438.4	CAT				91.6	30MnB HEAT TREATED		
7T5701		CAT	D9	191.99	35*330*2265		30MnB HEAT TREATED		
7T5702	35*330*1787.4	CAT	D9SU	151.51	35*330*1788	155	30MnB HEAT TREATED		
7T6589	25*280*1095	CAT			25*280*1095	58.3	30MnB HEAT TREATED		
7T6592		CAT	D7	26.87	25*280*567		30MnB HEAT TREATED		
7T6678	25*280*894	CAT	D7	42.43	25*280*894	47.6	30MnB HEAT TREATED		
7T6936	25*280*908	CAT	D7	43.12	25*280*908	43.12	30MnB HEAT TREATED		
7T9125	35*330*803	CAT	D9SU,8SU	68.17	35*330*803	68.2	30MnB HEAT TREATED		
	30*330*803	CAT			30*330*803	58.5	30MnB HEAT TREATED		
7T9126	35*330*1353.2	CAT	D9U,8SU	114.76	35*330*1354	115	30MnB HEAT TREATED		
7T9127	35*330*824.1 POINT	CAT	D8U	70	35*330*824		30MnB HEAT TREATED		
7T9976		CAT	D6	39.6	25*203*1053		30MnB HEAT TREATED		
7T9977	25*203*1019	CAT	D6	38.3	25*203*1019	38.3	30MnB HEAT TREATED		
7T9978	25*203*658	CAT	D6	24.8	25*203*658	24.8	30MnB HEAT TREATED		
7V1490	40*300*3033	CAT				246	30MnB HEAT TREATED		
7V6844	40*300*2914	CAT				260.2	B-HARD360 OR 45#		
8294271	19*203*912					26.1	30MnB HEAT TREATED		
8E2085	60*406*992	CAT	D10SU, 10U	179.18	60*406*992	180	30MnB HEAT TREATED		
8E2086	60*406*859	CAT	D10SU, 10U	155.34	60*406*859	155.5	30MnB HEAT TREATED		
8E2087	60*406*848					153.5	30MnB HEAT TREATED		

8E4567	25*280*1102	CAT LOADER	CAT928,926	53.2	25*280*1102	53.2	30MnB HEAT TREATED		
8E-4569	25*247*280	CAT	IT28,IT26,IT18	11.6	25*247*280	13	30MnB HEAT TREATED		
8J1489		CAT	D4		19*203*808	22.3	30MnB HEAT TREATED		
					16*203*808	18.8	30MnB HEAT TREATED		
8J1490		CAT	D4		19*203*860	24	30MnB HEAT TREATED		
					16*203*860	20	30MnB HEAT TREATED		
8J9668	25*254*1215	CAT	D8	55.06	25*254*1215	56.2	30MnB HEAT TREATED		
8K8161		CAT			25*245*2438	121	30MnB HEAT TREATED		
8K9754		CAT	CAT966		32*267*2921	181.3	B-HARD360 OR 45#		
9K1619	45*305*3270	CAT				345	B-HARD360 OR 45#		
9J4369	35*406*1580	CAT SCRAPER	CAT637,631	162	35*406*1580	162	30MnB HEAT TREATED		
9J5899	40*406*1580	CAT SCRAPER	CAT637,631	190.8	41*406*1580	190.8	30MnB HEAT TREATED		
9R5313	20*150*2406			52	20*150*1396	58	30MnB HEAT TREATED		
9U8057	19*203*627	CAT	D5,D6	17.5	19*203*627	17.5	30MnB HEAT TREATED		
9V0169	35*607*2870	CAT LOADER	CAT966		38*606*2870		30MnB HEAT TREATED		
9V0170	40*580*3085	CAT LOADER	CAT966		41*580*3085		30MnB HEAT TREATED		
9V6573	30*282*2735	CAT LOADER				158	B-HARD360 OR 45#		
9V6574	45*305*3314	CAT LOADER	CAT980	360	45*305*3315	361	B-HARD360 OR 45#		
9V6575		CAT LOADER			40*300*3032	271	B-HARD360 OR 45#		
9W1375	35*406*1524	CAT LOADER	CAT988	161.3	35*406*1525	161.5	30MnB HEAT TREATED		
9W1878	19*254*1227.3	CAT	D6SU	43.18	19*254*1229	47	30MnB HEAT TREATED	POINT	
9W3927	45*330*800	CAT	D9SU	88.03	45*330*800	88.5	30MnB HEAT TREATED		
9W4397	35*330*2164	CAT	D8	183.54	35*330*2164	184	30MnB HEAT TREATED		
9W4398	35*330*800	CAT	D8SU	67.91	35*330*800	68	30MnB HEAT TREATED		
9W4493	60*406*1024	CAT	D11	182.29	60*406*1024	182.3	30MnB HEAT TREATED		
9W4494	60*406*1020	CAT	D11	181.55	60*406*1020	182	30MnB HEAT TREATED		
9W4500	35*330*1040	CAT	D9SU	88.12	35*330*1040	88.5	30MnB HEAT TREATED		
9W4502	35*330*1223	CAT	D9SU	103.7	35*330*1223	104	30MnB HEAT TREATED		
9W4508	40*330*1223	CAT	D9	122.15	40*330*1223	131.4	30MnB HEAT TREATED		4T2333
9W4902	35*406*908	CAT SCRAPER	CAT651,657	92.9	35*406*908	92.9	30MnB HEAT TREATED		
9W5232	30*330*825	CAT	D8	56.59	28.5*330*825	60	30MnB HEAT TREATED		
9W5432	30*330*1241	CAT	D8	85.01	28.5*330*1241	85.5	30MnB HEAT TREATED		
9W6092	35*330*900	CAT	D8U,9U	76.28	35*330*900	76.5	30MnB HEAT TREATED		
9W6608	35*406*859			89.3	35*406*859	90	30MnB HEAT TREATED		
9W6609	35*406*992			103.02	35*406*992	103	30MnB HEAT TREATED		
9W6656	45*406*995	CAT	D10SU,10U	133.91	45*406*995	134	30MnB HEAT TREATED		
9W6657	45*402*859	CAT	D10SU,10U	115.73	45*406*859	116	30MnB HEAT TREATED		
9W7043	45*330*1787	CAT	D9SU	196.39	45*330*1788	196.5	30MnB HEAT TREATED		10

9W8215	19*203*1130	BACKHOE LO	CAT428,438	31.8	19*203*1130	31.8	30MnB HEAT TREATED		
9W9098	35*330*1240	CAT	D8	105.18	35*330*1240	105.2	30MnB HEAT TREATED		
9W9702	45*406*908	CAT SCRAPER	CAT651,657	120.4	45*406*908	120.4	30MnB HEAT TREATED		
U17519									
U18064									
U18400									
U18197									
U17689									



LOADER CUTTING EDGES (装载机刀片)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
P45161501800	16*150*1800					31.2	30MnB HEAT TREATED		
P45161502500	16*150*2500					43.33	30MnB HEAT TREATED		
P45161503000	16*150*3000					52	30MnB HEAT TREATED		
P45201501800	20*150*1800					39	30MnB HEAT TREATED		
P45201502500	20*150*2500					54.17	30MnB HEAT TREATED		
P45201503000	20*150*3000					65	30MnB HEAT TREATED		
P45202002400	20*200*2400					69.33	30MnB HEAT TREATED		
P45202002500	20*200*2500					72.22	30MnB HEAT TREATED		
P45202003000	20*200*3000					86.66	30MnB HEAT TREATED		



BULLDOZER END BITS (推土机刀角)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
73117713/14	25MM THICKNESS						30MnB HEAT TREATED		
8294274	25MM THICKNESS					16.2	30MnB HEAT TREATED		
8294681/82	25MM THICKNESS					19.9	30MnB HEAT TREATED		
112-70-31120/30	16MM THICKNESS FLAT	KOMATSU	D30	6.5	16*160*370	6.5	30MnB HEAT TREATED		
112-817-1110	16MM THICKNESS FLAT	KOMATSU		6.9	16*160*375	6.9	30MnB HEAT TREATED		
112-946-1510	16MM THICKNESS FLAT	KOMATSU	D31,D37,D40,D41	7.2	16*150*355	7.2	30MnB HEAT TREATED		
11G-71-31170	16MM THICKNESS FLAT	KOMATSU	D31,D37,D41	7.1	16*160*380	7.1	30MnB HEAT TREATED		
102-Y46-5162/72	20MM THICKNESS	KOMATSU	D40,D41	10.3	20*180*430	10.3	30MnB HEAT TREATED		
124-70-21330/40	20MM THICKNESS	KOMATSU	D40,D45	9.8	20*190*374	9.8	30MnB HEAT TREATED		

12F-929-2170(2)	16MM THICKNESS FLAT	KOMATSU	D20,D21	5.8	16*160*315	5.8	30MnB HEAT TREATED		
13F-Z27-1581/71	25MM THICKNESS FLAT	KOMATSU	D53,D58,D60,D65	13.4	25*230*326	14.4	30MnB HEAT TREATED		
13F-Z27-1582/72	25MM THICKNESS FLAT	KOMATSU	D50,D53,D58,D65	12.6	25*204*325	12.6	30MnB HEAT TREATED		
140-70-11130/40	20MM THICKNESS	KOMATSU	D60	9.6	20*185*375	9.6	30MnB HEAT TREATED		
140-70-11131/41	25MM THICKNESS	KOMATSU	D50,D53,D60,D65	15.1	25*254*359	15.7	30MnB HEAT TREATED		
140-70-11170/80	25MM THICKNESS	KOMATSU	D50,D53,D60,D65	15.1	25*254*359	15.1	30MnB HEAT TREATED		
140-70-11170/80RF	30MM THICKNESS FLAT	KOMATSU	D50,D53,D60,D65	18.2	30*225*356	18.2	30MnB HEAT TREATED	RF: FLAT	
144-70-11180/90	25MM THICKNESS	KOMATSU	D50,D53,D58	13.9	25*260*330	12.6	30MnB HEAT TREATED		
144-70-11250/60	30MM THICKNESS	KOMATSU	D50,D53,D60,D65	15.1	25*254*359	15.2	30MnB HEAT TREATED		
144-70-11251/61	30MM THICKNESS	KOMATSU	D65,D75	15.2	30*237*325	15.2	30MnB HEAT TREATED		
144-952-1120/30	25MM THICKNESS	KOMATSU	D60,D65	14.5	25*255*388	14.5	30MnB HEAT TREATED		
14X-71-11330/40	30MM THICKNESS	KOMATSU			30*247*350	17.86	30MnB HEAT TREATED		
150-70-21343/53	30MM THICKNESS	KOMATSU	D60,D65,D80,D85	24.9	30*292*435	25	30MnB HEAT TREATED		
150-70-21344/54	30MM THICKNESS	KOMATSU	D60,D65,D80,D85	24.9	30*292*435	25	30MnB HEAT TREATED		
150-70-21345/55	30MM THICKNESS	KOMATSU	D60,D65,D80,D85	24.9	30*292*435	25	30MnB HEAT TREATED		
150-70-21346/56	30MM THICKNESS	KOMATSU	D85A,D85E-21,D85P-21	24.9	30*292*435	25	30MnB HEAT TREATED		
154-926-1120/30	30MM THICKNESS FLAT	KOMATSU	D85	25	30*254*445	25	30MnB HEAT TREATED		
175-70-21123/33	38MM THICKNESS	KOMATSU	D150,D155	27.2	38*280*401	27.5	30MnB HEAT TREATED		
175-70-21125/35	38MM THICKNESS	KOMATSU	D150,D155	27.2	38*280*401	27.5	30MnB HEAT TREATED		
175-70-21126/36	38MM THICKNESS	KOMATSU	D135A-2,D155A-2	35.3	38*315*492	35	30MnB HEAT TREATED		
175-71-11170/80	38MM THICKNESS	KOMATSU	D150,D155	45.6	38*315*630	45	30MnB HEAT TREATED		
175-71-11172/82	38MM THICKNESS	KOMATSU	D150,D155	45.6	38*315*630	45	30MnB HEAT TREATED		
175-71-22271/81	38MM THICKNESS	KOMATSU	D150,D155	45.6	38*315*630	45	30MnB HEAT TREATED		
175-71-22272/82	30MM THICKNESS	KOMATSU	D135A-2,D155A-2	30	30*315*540	30	30MnB HEAT TREATED		
	38MM THICKNESS			37.1	38*315*540	38	30MnB HEAT TREATED		
175-71-22241/51	38MM THICKNESS	KOMATSU	D150,D155	45	38*315*603	45	30MnB HEAT TREATED		
17M-71-21930/40	40MM THICKNESS	KOMATSU	D275A-2	67.8	40*387*698	68	30MnB HEAT TREATED		
195-70-12610/20	40MM THICKNESS	KOMATSU	D355,D375	60	40*400*622	64.2	30MnB HEAT TREATED		
195-71-11173/83	40MM THICKNESS	KOMATSU	D355A-3	62.6	40*400*680	64	30MnB HEAT TREATED		
195-71-21350/60	40MM THICKNESS	KOMATSU	D355	67	40*387*732	67	30MnB HEAT TREATED		
195-71-61930/40	50MM THICKNESS	KOMATSU	D375	109.3	50*500*780	102	30MnB HEAT TREATED		
1T14036		XUANHUA				37.65	30MnB HEAT TREATED		
1T14033		XUANHUA				37.65	30MnB HEAT TREATED		
1U1545/46	40MM THICKNESS	CAT	D9	65.3	40*370*680	67.6	30MnB HEAT TREATED		
1U4925/26	51MM THICKNESS	CAT		106.5	51*400*700	106.5	30MnB HEAT TREATED		
3G4285(2)	19MM THICKNESS FLAT	CAT	D4,D5	11.5	19*203*425.6	11.5	30MnB HEAT TREATED		

3G8277/78 7J3459/60	40MM THICKNESS	CAT	D8	40.6	40*300*480	40.6	30MnB HEAT TREATED		
3G8279/80 9J1473/72	40MM THICKNESS	CAT	D8	40.6	40*300*480	40.6	30MnB HEAT TREATED		
3G8281/82 7J3461/62	40MM THICKNESS	CAT	D9	74	40*400*680	74	30MnB HEAT TREATED		
3G8283/84 7J3463/64	40MM THICKNESS	CAT	D8,D9	75.2	40*400*680	75.2	30MnB HEAT TREATED		
3G8285/86 7J3457/58	40MM THICKNESS	CAT	D8	41.1	40*300*480	41.1	30MnB HEAT TREATED		
3G8287/88 9J1475/74	40MM THICKNESS	CAT	D8,D9	41.1	40*300*480	41.1	30MnB HEAT TREATED		
3G8289/90 7J6713/14	35MM THICKNESS	CAT	D9	64.5	35*400*680	64.5	30MnB HEAT TREATED		
3G8291/92 7J67711/12	35MM THICKNESS	CAT	D8,D9	65.7	35*400*680	65.7	30MnB HEAT TREATED		
3G8293/94	25MM THICKNESS	CAT	D7	29.8	25*300*480	30	30MnB HEAT TREATED		50/PALLET
3G8295/96 6J0893/94	25MM THICKNESS	CAT	D5,D6	17.4	25*245*415	17.4	30MnB HEAT TREATED		
3G8297/98	25MM THICKNESS	CAT	D5,D6	17.4	25*245*415	17.5	30MnB HEAT TREATED		
3G8299/300 5J8769/70	29MM THICKNESS	CAT	D8	29.5	29*300*480	30	30MnB HEAT TREATED		
3G8301/02	30MM THICKNESS	CAT	D8	29.5	29*300*480	30	30MnB HEAT TREATED		
3G8315/16	30MM THICKNESS	CAT	825,824,816,814,8A,8C,8U,7A,7U,7	29.8	29*300*480	30	30MnB HEAT TREATED		
3G8317/18 8J8105/20	29MM THICKNESS	CAT	D8	29.8	29*300*480	30	30MnB HEAT TREATED		
3G8319/20	25MM THICKNESS	CAT	D6	17.4	25*245*415	18	30MnB HEAT TREATED		
3G-8321/22	25MM THICKNESS	CAT	D4,D5,D6	17.4	25*245*415	17.4	30MnB HEAT TREATED		
4J8723/24 1J9055/56	35MM THICKNESS	CAT	D8,D9	50.8	35*350*590	50.8	30MnB HEAT TREATED		
4T3041/42	19MM THICKNESS FLAT	CAT	D5,D6	10	19*203*378	14.1	30MnB HEAT TREATED		
4T3043/44	20MM THICKNESS FLAT	CAT	D4	7.5	19*203*287.5	8.4	30MnB HEAT TREATED		
4T3045/46 8J7162/63	19MM THICKNESS FLAT	CAT	D6	9.8	19*203*377	10.7	30MnB HEAT TREATED		
4T3049/50 5J6937/38	19MM THICKNESS FLAT	CAT	D5,D6	10	19*203*368	10	30MnB HEAT TREATED		
4T3051/52 5J6923/24	19MM THICKNESS FLAT	CAT	D4,D5,D6	9.5	19*203*344	9.5	30MnB HEAT TREATED		
	25MM THICKNESS FLAT	CAT	D4,D5,D6			12.5	30MnB HEAT TREATED		
4T4435/36	25MM THICKNESS FLAT	CAT	D6	13.3	25*203*406	13.3	30MnB HEAT TREATED		
4T4454/55		CAT	D6	22.8	29*272*450	22.8	30MnB HEAT TREATED		
4T5407/08	30MM THICKNESS	CAT		22.6	25*252*520	24.5	30MnB HEAT TREATED		BYG 图纸
4T6229(2) 8J6412(2)	16MM THICKNESS FLAT	CAT	D3,D4	6.5	16*165*330.2	6.5	30MnB HEAT TREATED		
4T6239/40 9J1539/40	25MM THICKNESS FLAT	CAT	D8	20.5	25*254*487	21.5	30MnB HEAT TREATED		
4T6505/06	25MM THICKNESS FLAT	CAT	D7,D8	21	25*254*472	22.5	30MnB HEAT TREATED		
4T6667/68 5J6921/22	25MM THICKNESS FLAT	CAT	D7,D8	21	25*254*472	21.5	30MnB HEAT TREATED		
4T8090	30MM THICKNESS FLAT	CAT	D8	NO DATA	30*254*486	24.5	30MnB HEAT TREATED		
5A4565/66	20MM THICKNESS FLAT					8.8	30MnB HEAT TREATED		
5J1279/80 1J1985/86	35MM THICKNESS	CAT	D9	50	35*350*590	50	30MnB HEAT TREATED		
5J8767/68	30MM THICKNESS	CAT	D7,D8	29.8	29*300*480	32	30MnB HEAT TREATED		
6J0275/76	25MM THICKNESS	CAT	D6	17.4	25*245*415	17.4	30MnB HEAT TREATED		
6Y-5839	16*165*350(310) FLAT	CAT	D3,D4,D5	6	16*160*357	6.5	30MnB HEAT TREATED		
6Y-5840	16*165*350(310) FLAT	CAT	D3,D4,D5	6	16*160*357	6.5	30MnB HEAT TREATED		

7T4092/93	55MM THICKNESS	CAT	D9	NO DATA	70*471.5*702	70	30MnB HEAT TREATED		
7T4688/89	60MM THICKNESS	CAT	D9,D10	99	60*370*680	99	30MnB HEAT TREATED		
8E4193/94 7T9089/90	35MM THICKNESS	CAT	D8	50.6	35*400*600	50.6	30MnB HEAT TREATED		
8E4196/97 9W6193/92	51MM THICKNESS	CAT	D8,D9	70	50*400*580	74	30MnB HEAT TREATED		20
8E4539/40 9W6195/94	45MM THICKNESS	CAT	D8,D9	72	45*400*610	79	30MnB HEAT TREATED		
8E4541/42 7T4097/96	45MM THICKNESS	CAT	D9,D10	95	45*480*750	95	30MnB HEAT TREATED		
8E9378/79	25*203*476 FLAT	CAT	D4, D5, D6			18	30MnB HEAT TREATED		
	19*203*476 FLAT	CAT	D4, D5, D6	12.5	19*203*476	12.5	30MnB HEAT TREATED		
9W1875/76	30MM THICKNESS	CAT	D6	27	30*280*475	27	30MnB HEAT TREATED		
9W6198/99	35MM THICKNESS	CAT	D7A,7S,7U,7SU	46.4	35*350*602	46.5	30MnB HEAT TREATED		
	38MM THICKNESS	CAT				50.5	30MnB HEAT TREATED		
9W8874/75	25MM THICKNESS	CAT	D6A,6S,6SU	20	25*254*465	22	30MnB HEAT TREATED		
9W9010/11	25MM THICKNESS	CAT	D5	20	25*272*495	20	30MnB HEAT TREATED		
9W9014/15 5J1419/20	25MM THICKNESS	CAT	D6	21.5	25*267.5*495	21.5	30MnB HEAT TREATED		



GRADER BLADES (平地机刀片)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
040100020	G/BLADE	天工				9	80# CARBON STEEL		
040100050	3/4"*8"*7.5' (14#5/8")	天工				55.5	80# CARBON STEEL		
232-70-12143	5/8"*6"*6' (13#5/8")	KOMATSU	,GD525A-1,GD505R-2,GD623A-1,	29.8	16*152*1828	30	80# CARBON STEEL	CURVED	60
233-70-12141							80# CARBON STEEL		
234-70-12193	5/8"*6"*7'	KOMATSU			16*152*2133	34	80# CARBON STEEL		60
238-70-12220	5/8"*6"*5' (11#5/8")	KOMATSU	GD28AC-1,GD300A-1	24.5	16*152*1523	24.5	80# CARBON STEEL	CURVED	60
3G7966	3/4"*6"*5' (7#5/8")	CAT		30.3	19*152*1523.6	30.5	80# CARBON STEEL	CURVED	60
4T2231		CAT		69.1	25*203*1828	70	80# CARBON STEEL	CURVED	36
4T2233	1"*8"*7' (15#3/4")	CAT		80.6	25*203*2133.2	81.5	80# CARBON STEEL	CURVED	36
4T2236	1"*8"*8' (17#3/4")	CAT		92.1	25*203*2438	93.1	80# CARBON STEEL	CURVED	12
4T2242	1"*8"*7' (15#5/8")	CAT		80.8	25*203*2133.2	81.5	80# CARBON STEEL	CURVED	36
4T2243	1"*8"*6' (13#5/8")	CAT		68.8	25*203*1828.8		80# CARBON STEEL		36
4T2244	1"*8"*6' (13#5/8")	CAT		69.2	25*203*1828.4	70	80# CARBON STEEL	CURVED	36
4T3036/5J6973		CAT	FLAT		19*203*2133.6	66	80# CARBON STEEL		
4T3007/5J6970	3/4"*8"*6' (13#5/8")	CAT	FLAT	51.1	19*203*1828	51.1	80# CARBON STEEL	LAT =5J697	45
4T6511	1"*10"*8' (17#3/4")	CAT	FLAT	111.5	25*254*2438.4	116.6	30MnB	FLAT	

4T8317	35*254*2438.4	CAT	FLAT		35*254*2438.4	160	30MnB		
4Z8055	1"*10"*7' (15#3/4")	CAT		97.4	25*254*2131	97.4	80# CARBON STEEL	FLAT	
4Z8056	1"*10"*8' (17#3/4")	CAT		111.4	25*254*2436	111.4	80# CARBON STEEL	FLAT	
5B5564	5/8"*6"*6' (8#5/8")	CAT		30.9	16*152*1828.4	30	80# CARBON STEEL	CURVED	60
5D9553	5/8"*6"*6' (13#5/8")	CAT		30.7	16*152*1828.4	30	80# CARBON STEEL	CURVED	60
5D9554	5/8"*6"*7' (15#5/8")	CAT		35.8	16*152*2133.2	34.2	80# CARBON STEEL	CURVED	60
5D9556	3/4"*6"*6' (13#5/8")	CAT		36.4	19*152*1828.4	36.6	80# CARBON STEEL	CURVED	60
5D9557	3/4"*6"*7' (15#5/8")	CAT		42.5	19*152*2133.2	42.7	80# CARBON STEEL	CURVED	60
5D9558	3/4"*8"*6' (13#5/8")	CAT		50.8	19*203*1828.4	51	80# CARBON STEEL	CURVED	45
5D9559	3/4"*8"*7' (15#5/8")	CAT		59.3	19*203*2133.2	60	80# CARBON STEEL	CURVED	45
5D9561	5/8"*8"*7' (15#5/8")	CAT					30MnB		45
				48.8	16*203*2133.2	49.4	80# CARBON STEEL	CURVED	45
5D9562	5/8"*8"*6' (13#5/8")	CAT		41.8	16*203*1828.4	42.3	80# CARBON STEEL	CURVED	45
5D9732		CAT			19*203*2438	69	80# CARBON STEEL		
5J6970		CAT	FLAT		19*203*1828.8	51	30MnB		
5J6973		CAT	FLAT		19*203*2133.6	59.6	30MnB		
7D1158	5/8"*8"*7' (15#3/4")	CAT		48.7	16*203*2133.2	49.4	80# CARBON STEEL	CURVED	45
7D1576	3/4"*8"*6' (13#3/4")	CAT		50.7	19*203*1828.4	51	80# CARBON STEEL	CURVED	45
7D1577	3/4"*8"*7' (15#3/4")	CAT		59.2	19*203*2133.2	60	80# CARBON STEEL	CURVED	45
7D1949	3/4"*8"*8' (17#3/4")	CAT		67.6	19*203*2438	69	80# CARBON STEEL	CURVED	36
7D4508	5/8"*6"*5' (11#5/8")	CAT		25.5	16*152*1523.6	25.5	80# CARBON STEEL	CURVED	60
7T3495		CAT		91.6	25*203*2438.4	91.6	30MnB		
8D2787	1/2"*6"*7' (15#5/8")	CAT			12.5*152*2133.2	27.6	80# CARBON STEEL		60
8J9821		CAT		55.6	16*203*2438	56.5	80# CARBON STEEL		45
9J7701	5/8"*8"*6' (13#3/4")	CAT		41.7	16*203*1828.4	42.3	80# CARBON STEEL	CURVED	60
HK 19*203*1790	3/4"*8"*6' (9#5/8")				19*203*1790	50	80# CARBON STEEL		45



GRADER END BITS (平地机刀角)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
232-70-52180									
232-70-52190	13MM THICKNESS	KOMATSU	GD523A-1,GD525A-1,GD623A-1	10	13*229*495	11.5	45#CARBON STEEL		100
232-70-12150	13MM THICKNESS	KOMATSU	GD28AC-1,GD300A-1,GD31RC-3A	8.3	13*229*430	9	45#CARBON STEEL		100
232-70-12160	13MM THICKNESS	KOMATSU	GD500R-1,GD405A-1,GD37-6H	8.3	13*229*430	9	45#CARBON STEEL		100
6D1904	13*230*470	CAT	CURVED EDGE	9.5	13*230*470	9.5	45#CARBON STEEL		100
6D1948	16MM THICKNESS	CAT			16*230*571		45#CARBON STEEL		100
	12MM THICKNESS			11.5	12*230*571	11.5		100	

6Y2805	13MM THICKNESS	CAT			13*230*560	11.5	45#CARBON STEEL		100
7D9999	13*230*600	CAT		12.2	13*230*600	12.2	45#CARBON STEEL		100
7D2052	16*152*474	CAT	12,112	7.6	16*152*474	7.6	45#CARBON STEEL	8E5531	100
8E5531					16*152*474	7.6			
9W1767	12mm THICKNESS	CAT				11.7			
9W1768	12mm THICKNESS	CAT				11.7	45#CARBON STEEL		
	16mm THICKNESS	CAT				14.4	45#CARBON STEEL		

EXCAVATOR SIDE CUTTER (挖掘机侧刃)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
202-70-63161	20 MM	KOMATSU	PC120-5			9.4	30SI2B HEAT TREATED		
202-70-63171	20 MM	KOMATSU	PC120-5			9.4	30SI2B HEAT TREATED		
205-70-74180	25 MM	KOMATSU	PC200-5			15.2	30SI2B HEAT TREATED		
250-70-74190	25 MM	KOMATSU	PC200-5			15.2	30SI2B HEAT TREATED		
207-70-34160	28MM THICKNESS	KOMATSU	PC300-7			17.75	30SI2B HEAT TREATED		
207-70-34170	28MM THICKNESS	KOMATSU	PC300-7			17.75	30SI2B HEAT TREATED		
208-70-34170	30MM THICKNESS	KOMATSU				24.75	30SI2B HEAT TREATED		
208-70-34180	30MM THICKNESS	KOMATSU				24.75	30SI2B HEAT TREATED		
20Y-934-2150	28MM THICKNESS	KOMATSU				9.4	30SI2B HEAT TREATED		
21K-7C-14180	25MM THICKNESS	KOMATSU	PC160			11.6	30SI2B HEAT TREATED		
21K-7C-14190	25MM THICKNESS	KOMATSU	PC160			11.6	30SI2B HEAT TREATED		
203-70-63160/61		KOMATSU				6.9	30SI2B HEAT TREATED		
205-70-74180/90	25MM THICKNESS	KOMATSU	PC220			15.2	30SI2B HEAT TREATED		

LOADER END BITS (装载机刀角)

PART NUMBER	DESCRIPTION(MM)	BRAND	MODEL	IRWT	IR DES	U' WT(KG)	MATERIAL	REMARK	PACKING
100-4043	45*265*556	CAT	CAT980	48.6	45*265*556	48.6	30MnB HEAT TREATED		
100-6668	30*360*1399.5	CAT LOADER	CAT 972	104.7	30*360*1399.5	111	30MnB HEAT TREATED		
107-3746	25*280*1179	CAT LOADER	CAT 938	57	25*280*1179	57	30MnB HEAT TREATED		
109-9212	35*406*1450	CAT LOADER	CAT 980	153.3	35*406*1450	153.3	30MnB HEAT TREATED		
118-7110	19*203*1199	CAT	BACKHOE LOADER	33.8	19*203*1199	33.8	30MnB HEAT TREATED		
139-9230	30*360*1280	CAT LOADER	962,950	96.4	30*360*1285	101.5	30MnB HEAT TREATED		
424-70-H2D60	30*330*650	KOMATSU LOADER	WA380	45.5	30*330*650	45.5	30MnB HEAT TREATED		
100-6664	30*253*360	CAT		17.9	30*253*360		30MnB HEAT TREATED		

100-6666	30*293*359	CAT	970	21.4	30*293*359	23.4	30MnB HEAT TREATED		
101-9435	38*346*482	CAT	988F	47.5	40*342*482	45.3	30MnB HEAT TREATED		
101-9436	38*354*482	CAT	988F	50	40*354*482	46.1	30MnB HEAT TREATED		
101-9437	38*354*482	CAT	988F	50	40*354*482	46.1	30MnB HEAT TREATED		
106-9290	35*227*510	CAT				28.5	30MnB HEAT TREATED		
107-3490	45	CAT		50	45*312*482		30MnB HEAT TREATED		
107-3528	45*354*482	CAT				56.3	30MnB HEAT TREATED		
107-3537	45*354*482	CAT				56.3	30MnB HEAT TREATED		
109-9019	30*315*360	CAT		22.3	30*315*360		30MnB HEAT TREATED		
128-2872	19*203*323	CAT		9.2	19*203*323		30MnB HEAT TREATED		
128-2873	19*203*265	CAT		7.5	19*203*265		30MnB HEAT TREATED		
132-1035	35*225*280	CAT		14.8	35*225*280		30MnB HEAT TREATED		
132-1037	35*265*280	CAT		17.5	35*265*280		30MnB HEAT TREATED		
132-4715		CAT					30MnB HEAT TREATED		
135-9294	40*300*330	CAT		30.8	40*300*330	30.8	30MnB HEAT TREATED		
135-9295	40*315*330	CAT		32.3	40*315*330		30MnB HEAT TREATED		
135-9296	40*315*330	CAT		32.3	40*315*330	32.3	30MnB HEAT TREATED		
135-9647	30*265*360	CAT	966	18.8	30*265*360		30MnB HEAT TREATED		
135-9647/49	30*360*355	CAT		18.8	30*265*360		30MnB HEAT TREATED		
135-9648	30*360*210	CAT		14.9	30*210*360		30MnB HEAT TREATED		
135-9648	30*210*360	CAT		14.9	30*210*360		30MnB HEAT TREATED		
135-9649	30*265*360	CAT		18.8	30*265*360		30MnB HEAT TREATED		
138-0865	40*344*482	CAT		47.6	40*344*482		30MnB HEAT TREATED		
138-0866	40*354*482	CAT		50	40*354*482		30MnB HEAT TREATED		
138-0867	40*354*482	CAT		50	40*354*482		30MnB HEAT TREATED		
138-6470	35*312*482	CAT		40	35*312*482		30MnB HEAT TREATED		
138-6471	35*323*482	CAT		41	35*323*482		30MnB HEAT TREATED		
138-6472	35*323*482	CAT		41	35*323*482		30MnB HEAT TREATED		
140-6862	35*256*360	CAT		21.8	35*256*360		30MnB HEAT TREATED		
140-6863	35*265*360	CAT		22.6	35*265*360		30MnB HEAT TREATED		
140-6864	35*265*360	CAT		22.6	35*265*360		30MnB HEAT TREATED		
140-6865		CAT					30MnB HEAT TREATED		
140-6866	35*210*360	CAT		17.5	35*210*360		30MnB HEAT TREATED		
140-6867	35*240*360	CAT		19.8	35*240*360		30MnB HEAT TREATED		
140-6868	35*270*360	CAT		23	35*270*360		30MnB HEAT TREATED		
140-6869	35*253*360	CAT		20.9	35*253*360		30MnB HEAT TREATED		
140-6870	35*293*360	CAT		25	35*293*360		30MnB HEAT TREATED		
140-7601	30*360*292	CAT		21.6	30*360*292	21.6	30MnB HEAT TREATED		

4T3015	30*360*256	CAT		18.6	30*256*360		30MnB HEAT TREATED		
4T6691	25*175*280	CAT	951,943,941	8.2	25*175*280	8.2	30MnB HEAT TREATED		
4T6692	25*195*280	CAT	963,955,953	9.1	25*195*280	9.5	30MnB HEAT TREATED		
4T6693,132-1036	25*210*280	CAT	963,930	9.8	25*210*280	9.8	30MnB HEAT TREATED		
4T6694	25*225*280	CAT	963,953,951,941,920,916,IT28,IT18	10.6	25*225*280	10.9	30MnB HEAT TREATED		
4T6694,132-1035	25*225*280	CAT	963.953.951.941,920,916,IT28,IT18	10.6	25*225*280	11.7	30MnB HEAT TREATED		
4T6695	25*265*280	CAT	950B,950E,950F	12.5	25*265*280	12.9	30MnB HEAT TREATED		
4T6696	30*190*360	CAT	977	13.6	30*190*360	14.1	30MnB HEAT TREATED		
4T6697	30*210*360	CAT	973,966D,966E	14.9	30*210*360	15.7	30MnB HEAT TREATED		
4T6698	30*240*360	CAT	973,966D,966E	17	30*240*360	19.2	30MnB HEAT TREATED		
4T6699	30*270*360	CAT	970,966D,966E	19.7	30*270*360	19.7	30MnB HEAT TREATED		
4T6700	30*290*360	CAT	988B,980C,	21.2	30*290*360	21.5	30MnB HEAT TREATED		
4T7139	30*305*360	CAT		22.3	30*305*360		30MnB HEAT TREATED		
4T7139	30*305*360	CAT		22.3	30*305*360		30MnB HEAT TREATED		
4T7140	30*305*360	CAT		22.3	30*305*360		30MnB HEAT TREATED		
4T8091	25*160*342	CAT	951,943,941,936,930,926,920,916,IT	9.4	25*160*342	10	30MnB HEAT TREATED		
4T8101	30*170*496	CAT	963,955,950.950B,950E	17.5	30*170*496	17.5	30MnB HEAT TREATED		
4T9123,132-1039	30*265*360	CAT		19.4	30*265*360		30MnB HEAT TREATED		
4T9124,132-1040	30*265*360	CAT		19.4	30*265*360		30MnB HEAT TREATED		
9W5730	35*323*483	CAT	988B	41	35*323*483	41	30MnB HEAT TREATED		
9W5734	35*312*483	CAT	988B	40	35*312*483	40	30MnB HEAT TREATED		
9W5737	35*323*483	CAT	988B	41	35*323*483	41	30MnB HEAT TREATED		
9W8367	35*367*483	CAT		47	35*367*483		30MnB HEAT TREATED		
9W8368	35*367*483	CAT		47	35*367*483		30MnB HEAT TREATED		
SEG-25	25*280*265	CAT				14.5	30MnB HEAT TREATED		
SEG-30	30*360*300	CAT				25.5	30MnB HEAT TREATED		
SUB-30	30*360*1400	CAT				118.7	30MnB HEAT TREATED		



BULLDOZER SEGMENT GROUP (推土机齿块)

PART NUMBER	TEETH NO.	BRAND	MODEL	SHANTUI	SHANTUI NO.	U' WT(KG)	MATERIAL	REMARK	QTY
131-27-61710	3	KOMATSU	D50			6	35MnB Heat Treated	3 TEETH	
10Y-18-00013	5	SHANTUI		SD13	10Y-18-00013	10.2	35MnB Heat Treated	5 TEETH	
141-27-32411	3	KOMATSU	D60,D65	SD16	16Y-18-00014	8.1	35MnB Heat Treated	3 TEETH	
14X-27-15112	3	KOMATSU	D60,D65 HD	SD16H	16Y-18-00014H	8.2	35MnB Heat Treated	3 TEETH	
154-27-12273	3	KOMATSU	D80,D85	SD22	154-27-12273	7.4	40Mn2		

